

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 7/50, 7/48	A1	(11) International Publication Number: WO 99/27904 (43) International Publication Date: 10 June 1999 (10.06.99)
(21) International Application Number: PCT/US98/25334 (22) International Filing Date: 25 November 1998 (25.11.98) (30) Priority Data: 08/984,010 3 December 1997 (03.12.97) US (71) Applicant: S.C. JOHNSON & SON, INC. [US/US]; 1525 Howe Street, Racine, WI 53403 (US). (72) Inventors: LEIFHEIT, David, H.; 1840 Brandon Lane, Racine, WI 53406 (US). BURI, David, M.; 2115 North Cape Street, Union Grove, WI 53182 (US). (74) Agents: FRANK, J., William, III et al.; S.C. Johnson & Son, Inc., Patent Section, 1525 Howe Street, Racine, WI 53403 (US).		(81) Designated States: AU, BR, CA, CN, JP, KR, MX, NZ, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>
(54) Title: SKIN CARE COMPOSITION WITH IMPROVED SKIN HYDRATION CAPABILITY (57) Abstract An improved skin care composition having enhanced skin hydration, moisturizing, conditioning, and cosmetically acceptable tactile properties. The composition includes a skin hydration system comprising glycerin and plant-derived oil; petrolatum or mineral oil; a di-lower alkyl a di-higher alkyl ammonium emulsifier; a fatty alcohol; a fatty ester emollient; and water. Additional components include a humectant system and a lubricant.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

SKIN CARE COMPOSITION WITH IMPROVED SKIN HYDRATION CAPABILITY

5

TECHNICAL FIELD

This invention relates to skin care compositions, and in particular, to improved skin care compositions for enhancing skin hydration and for providing excellent moisturizing, conditioning, and cosmetically acceptable tactile properties to the skin.

10

BACKGROUND ART

Consumers have long desired hand and body lotions or creams which, when applied to the skin, provide cosmetically acceptable tactile properties. In response to this desire, lotions and creams have been formulated through the years to exhibit satisfactory feel, lubricity, and absorption upon application to the skin.

15

More recently, consumers have been introduced to specialty lotions and creams formulated to treat dry skin conditions. These specialty lotions and creams hereafter will be referred to as "dry skin formulations."

20

A particular dry skin formulation is set forth in U.S. Patent No. 4,389,418 (the '418 patent), which is commonly assigned to the assignee of this application. The '418 patent is hereby incorporated by reference in its entirety.

25

The dry skin formulation of the '418 patent employs petrolatum or mineral oil as an occlusive agent, and glycerin as a humectant, in combination with a unique di-lower alkyl di-higher alkyl ammonium emulsifier, a fatty alcohol stabilizer, and a fatty ester emollient. As used herein, "occlusive agent" refers to any substance that physically prevents or reduces moisture loss from the skin by formation of a water-impenetrable barrier over the stratum corneum; "humectant" refers to any substance that chemically attracts and holds water to the outside surface and upper layers of the stratum corneum; "stratum corneum" refers to the outer exposed layer of the epidermis.

30

The dry skin formulation of the '418 patent exhibits excellent moisturizing and conditioning ability upon application to the skin. As used herein, "moisturizing ability"

-2-

means the ability to increase the water content of the skin, and "conditioning ability" means the ability to improve consumer perception of skin softness and smoothness.

Our invention is directed to improving the moisturizing ability of the dry skin formulation of the '418 patent. We have discovered that increasing the amount of glycerin in this formulation and adding a small amount of plant-derived oil, both within
5 specific ranges of weight percentages or weight ratios, results in an improved cosmetic formulation that synergistically and unexpectedly provides superior short-term skin hydration. As used herein, "skin hydration" refers to the relative water level present in the stratum corneum, as measured by an analytical instrument, such as a Nova DPM
10 dermal phase meter; "short-term skin hydration" refers to the level of skin hydration effected between about 1 and about 12 hours after application of a formulation.

The cosmetics industry has long recognized vegetable (or plant-derived) oils as occlusive agents for reducing trans-epidermal water loss (hereafter "TEWL"). Recently, vegetable oils have gained popularity, due to the recognition that they
15 provide other useful cosmetic properties. However, prior to this invention, plant-derived oils had not been recognized for their significant ability to effect short-term skin hydration.

For example, U.S. Patent No. 5,690,947 (hereafter "the '947 patent") discloses the use of borage seed oil in cosmetic compositions containing hydroxy acids and/or
20 retinoids. The '947 patent only teaches the use of borage seed oil as an anti-irritant to ameliorate skin irritations commonly associated with the use of hydroxy acids and retinoids. This patent does not suggest using borage seed oil to enhance short-term skin hydration.

U.S. Patent No. 5,620,692 (hereafter "the '692 patent") discloses the use of
25 oat oil in cosmetic compositions to provide beneficial dermatological properties, such as UV-inhibition and anti-oxidancy, in addition to TEWL reduction. The '692 patent, though, does not suggest using oat oil to promote short-term skin hydration.

U.S. Patent No. 4,375,480 (hereafter "the '480 patent") discloses a
30 hypoallergenic facial skin emulsion having 8-35 parts by weight unsaturated vegetable oil. The vegetable oil serves as an emollient and a moisturizer, and most preferably is

sesame oil. Unlike the present invention, the '480 patent does not suggest using vegetable oil to increase short-term skin hydration. Further, the '480 patent requires flushing the skin with water for 2 to 3 minutes immediately after application of the emulsion, in order to effect water absorption into the skin via the emulsion.

5 U.S. Patent No. 5,656,278 (hereafter "the '278 patent") discloses dermatological and cosmetic compositions for restoring the barrier function of the stratum corneum. The compositions of this patent require the combination of at least one ceramide, as disclosed therein, and linoleic acid, to effect barrier function restoration. The linoleic acid is preferably obtained from vegetable oils rich in this
10 fatty acid. However, the '278 patent does not disclose or suggest the use of linoleic acid, either alone or in combination with humectants, to improve short-term skin hydration.

U.S. Patent No. 5,643,899 (hereafter "the '899 patent") discloses various lipid combinations useful for effecting epidermal moisturization and for repairing the barrier
15 function of the stratum corneum. Some of the combinations include essential fatty acids, such as linoleic acid, as a component. Vegetable oils containing the required essential fatty acids may be used in the lipid combinations. Unlike the present invention, the '899 patent requires all of the lipids set forth therein, including vegetable oils, to be used in combination with at least one other non-vegetable-derived lipid.
20 Moreover, the '899 patent does not disclose or suggest using vegetable oil to provide enhanced short-term skin hydration.

U.S. Patent No. 4,740,367 (hereafter "the '367 patent") discloses the use of a vegetable oil adduct, produced by the Diels-Alder reaction with fumaric, maleic anhydride or acrylic acid, or a combination of the vegetable oil adduct and its parent
25 vegetable oil, as an emollient/moisturizer in skin and hair compositions. The '367 patent suggests, as a preferred combination, soybean oil-fumaric acid adduct and soybean oil. However, the '367 patent does not disclose or suggest the use of vegetable oil, either alone or in combination with other humectants, to enhance short-term skin hydration.

-4-

U.S. Patent No. 5,229,130 (hereafter "the '130 patent") relates to methods and compositions for enhancing skin permeation of pharmaceutically active agents across the stratum corneum. The skin permeation enhancing component is a vegetable oil, which preferably does not contain large amounts of saturated fatty acids or fatty acids having less than 8 or greater than 14 carbon atoms. The '130 patent prefers a combination of coconut and soybean oils. The '130 patent, however, does not disclose or suggest the utility of vegetable oils for enhancing skin permeation of water.


U.S. Patent No. 4,632,772 (hereafter "the '772 patent") discloses an anti-microbial detergent composition having 2.2 to 14 parts by weight moisturizer/emollient as a component. The moisturizer/emollient may comprise a vegetable oil. Unlike the present invention, the moisturizer/emollient of the '772 patent functions to replace the natural skin oils which are lost or partially removed by the detergent composition. The '772 patent does not disclose or suggest using vegetable oil to provide enhanced short-term skin hydration.

SUMMARY DISCLOSURE OF INVENTION

An object of the present invention is to provide a cosmetic composition with significantly improved moisturizing ability, as well as excellent conditioning ability and cosmetically acceptable tactile properties. This invention is based upon the finding that increasing the amount of glycerin and adding a small quantity of plant-derived oil, both within particular ranges of weight percentages or weight ratios, in the formulation of the '418 patent, provides an improved composition, which upon application to the skin results in synergistic and unexpectedly superior short-term skin hydration.

In one aspect of our invention, an improved skin care composition comprises a skin hydration system, in an amount between about 16 and about 22 weight percent of the composition, comprising glycerin and plant-derived oil in amounts sufficient to maintain a weight ratio of said glycerin to said plant-derived oil in the range between about 13:1 and about 36:1; petrolatum or mineral oil, in an amount between about 1 and about 10 weight percent of the composition; a quaternary ammonium emulsifier, in an amount between about 2 and about 12 weight percent of the composition, having the formula

-5-




5

wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion; a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition; a fatty ester emollient, in an amount between about 1 and about 8 weight percent of the composition; and water, in an amount between about 25 and about 95 weight percent of the composition.

In another aspect, the improved skin care composition of this invention further comprises a humectant system, in an amount sufficient to maintain a weight ratio of said glycerin and said humectant system to said plant-derived oil in the range between about 18:1 to about 59:1. The humectant system includes preferably at least one compound selected from sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

In still another aspect of our invention, an improved skin care composition comprises a skin hydration system comprising glycerin, in an amount between about 16 and about 19 weight percent of the composition, and plant-derived oil, in an amount between about 0.5 and about 1.5 weight percent of the composition; petrolatum or mineral oil, in an amount between about 1 and about 10 weight percent of the composition; a quaternary ammonium emulsifier, in an amount between about 2 and about 12 weight percent of the composition, having the formula




30

-6-

wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion; a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition; a fatty ester emollient, in an amount between about 1 and about 8 weight percent of the composition; and water, in an amount between about 25 and about 95 weight percent of the composition.

In another aspect, the improved skin care composition of this invention further comprises a humectant system, in an amount up to about 8 weight percent of the composition. The humectant system includes preferably at least one compound selected from sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

In yet another aspect of our invention, an improved skin care composition comprises a skin hydration system comprising glycerin, in an amount between about 18 and about 20 weight percent of the composition, and plant-derived oil, in an amount between about 1 and about 1.5 weight percent of the composition; petrolatum or mineral oil, in an amount between about 1 and about 10 weight percent of the composition; a quaternary ammonium emulsifier, in an amount between about 2 and about 12 weight percent of the composition, having the formula



wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion; a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition; a fatty ester emollient, in an amount between about 1 and about 8 weight percent of the

-7-

composition; and water, in an amount between about 25 and about 95 weight percent of the composition.

In another aspect, the improved skin care composition of this invention further comprises a humectant system, in an amount up to about 8 weight percent of the composition. The humectant system includes preferably at least one compound
5 selected from sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

Other aspects of this invention will be better understood and advantages thereof more apparent in view of the following detailed description of the preferred
10 embodiments.

BEST MODE FOR CARRYING OUT THE INVENTION

The improved dry skin formulation of the present invention comprises:

- (1) a skin hydration system;
- (2) petrolatum or mineral oil;
- 15 (3) di-lower alkyl di-higher alkyl ammonium emulsifier;
- (4) fatty alcohol;
- (5) fatty acid emollient; and
- (6) water.

The improved dry skin formulation of the present invention may additionally
20 include:

- (7) a humectant system; and
- (8) a lubricant.

Optional components include those typically employed in the field, including, but not limited to, fragrances, dyes, preservatives, sun screen additives, skin
25 protectants, and medicaments.

Each of these components is discussed in greater detail, as follows.

Skin Hydration System

The skin hydration system of the present invention comprises glycerin and plant-derived oil. The plant-derived oil comprises preferably oat lipid extract

(otherwise known as oat oil), borage oil, or combinations thereof. Plant-derived oils with structures similar to oat oil and borage oil may also be used.

The skin hydration system is specified preferably in terms of weight percentages of glycerin and plant-derived oil. In a preferred skin hydration system, glycerin comprises preferably between about 16 and about 19 weight percent of the composition, and plant-derived oil comprises preferably between about 0.5 and about 1.5 weight percent of the composition, more preferably between about 0.75 and about 1.25 weight percent of the composition, and most preferably about 1 weight percent of the composition. In another preferred skin hydration system, glycerin comprises preferably between about 18 and about 20 weight percent of the composition, and plant-derived oil comprises preferably between about 1 and about 1.5 weight percent of the composition, more preferably between about 1 and about 1.25 weight percent of the composition, and most preferably about 1 weight percent of the composition.

The skin hydration system also can be specified in terms of weight ratios of glycerin to plant-derived oil. In a preferred embodiment, the skin hydration system comprises between about 16 and about 22 weight percent of the composition, and includes glycerin and plant-derived oil in amounts sufficient to maintain a weight ratio of glycerin to plant-derived oil in the range preferably between about 13:1 and about 36:1, more preferably between about 18:1 and about 32:1, and most preferably between about 18:1 and about 20:1. In another preferred embodiment, the skin hydration system comprises between about 17 and about 20 weight percent of the composition, and includes glycerin and plant-derived oil in amounts sufficient to maintain the same preferred weight ratios as the previous preferred embodiment.

We have found that glycerin and plant-derived oil must be present within the above-described ranges of weight percentages or weight ratios, in order to provide synergistic and superior short-term skin hydration levels. We have found that using either increased amounts of glycerin or plant-derived oil alone in the present invention does not provide statistically significant differences in short-term skin hydration relative to the dry skin formulation of the '418 patent.

The synergistic and superior short-term skin hydration levels achieved by our invention is surprising, because while glycerin might reasonably have been expected to increase skin hydration, the use of plant-derived oil, even as a moisturizer, would only have been expected to provide long-term skin hydration (i.e., after 24 hours). Further, it would not have been apparent to one of ordinary skill to employ such a small amount of plant-derived oil, as required in the present invention, to effect significant increases in skin hydration, either short-term or long-term.

Petrolatum or Mineral Oil

The petrolatum suitable for use in the present invention comprises any grade of white or yellow petrolatum which is recognized as being safe for application to the human skin. The preferred types are petrolatum U.S.P. XVIII or NFXII. In general, any viscosity or consistency grade of petrolatum recognized in the art can be employed in this invention. It is within the scope of our invention to partially replace petrolatum with mixtures of hydrocarbon materials which can be formulated to resemble petrolatum in appearance and consistency. For example, such a combination can be formed by melting mineral oil in various proportions with substances such as, for example, microcrystalline wax, paraffin wax and the like.


The mineral oil employed in this invention should be USP or NF grade white mineral oils and should preferably have a viscosity of about 6.7 to about 69 cst at 40 C., a specific gravity (SG 15.6 C./15.6 C.) of about 0.828 to about 0.890, and a maximum pour point of about -18 C to about -7 C. More preferably, the mineral oils should have a viscosity of about 6.7 to about 17.0 cst at 40 C., a specific gravity of about 0.828 to about 0.860, and a maximum pour point of about -7 C to about -10 C.

Petrolatum and mineral oil, either alone or in combination with the other, comprises preferably between about 1 and about 10 weight percent of the composition, more preferably between about 1 and about 6 weight percent of the composition, and most preferably between about 3 and about 5 weight percent of the composition.

Di-lower Alkyl Di-higher Alkyl Ammonium Emulsifier

The di-lower alkyl di-higher alkyl ammonium emulsifiers of this invention have the general formula:

-10-



5

wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to about 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to about 3 carbon atoms, and X is a salt-forming anion. Preferably the salt forming anion is chloride, bromide, or iodide.

10

These quaternary ammonium emulsifiers preferably exhibit hard, waxy and nonstick characteristics. In general, when long chain alkyl groups below C_{16} , ethoxylated cationics or mono long chain alkyl groups are employed, the viscosity of the resulting formulation is reduced to an unacceptable level.

15

In addition to their emulsifying, skin softening and skin protective properties, the quaternary ammonium emulsifiers of our invention are believed to provide still another unique feature upon application to the skin. As cationic surfactants, quaternary ammonium emulsifiers carry positive charges. In general, detergents and soaps are anionic and carry negative charges. Uncomplexed residual soaps and detergents can induce irritation. Application of cationic emulsifiers should prevent this

20

irritation from occurring, due to the formation of insoluble complexes between the cationic emulsifiers and the residual soaps and detergents on the skin.

The di-lower alkyl di-higher alkyl ammonium emulsifiers of our invention comprise preferably between about 2 and about 12 weight percent of the composition, more preferably between about 2 and about 7 weight percent of the composition, and

25

most preferably between about 4 and about 6 weight percent of the composition.

A preferred emulsifier is distearyl dimethyl ammonium chloride (hereafter "DSDMAC").

Fatty Alcohol

30

The fatty alcohol employed in the present invention assists in stabilizing the emulsion and in providing cosmetically acceptable viscosity for the composition. In

general, a C₁₄ to C₂₂ substantially saturated alkanol is employed. Typical examples of suitable fatty alcohols include stearyl alcohol, myristyl alcohol, behenyl alcohol, arachidic alcohol, isostearyl alcohol and isocetyl alcohol. We prefer to employ cetyl alcohol. If desired, cetyl alcohol may be employed alone or in combination with other
5 fatty alcohols, particularly, isostearyl alcohol.

The fatty alcohol comprises preferably between about 1.5 and about 5 weight percent of the composition, more preferably between about 1.5 and about 3 weight percent of the composition, and most preferably between about 2 and about 3 weight percent of the composition.

10 Fatty Ester Emollient

The fatty ester emollient of the invention is employed in sufficient amounts to enhance the tactile properties of the composition. In particular, fatty esters assist in softening the base formulation of petrolatum, quaternary ammonium emulsifier, and fatty alcohol. Typical fatty esters employed in the present invention include isopropyl
15 myristate, isopropyl palmitate, isopropyl isostearate, isostearyl isostearate, diisopropyl sebacate, propylene glycol dipelargonate, 2-ethyl-hexyl isononoate, 2-ethylhexyl stearate, C₁₂-C₁₆ fatty alcohol lactate, isopropyl lanolate, 2-ethyl-hexyl salicylate and mixtures thereof.

The fatty ester emollient comprises preferably between about 1 and about 8
20 weight percent of the composition, more preferably between about 1 and about 5 weight percent of the composition, and most preferably between about 2 and about 4 weight percent of the composition.

Water

The amount of water to be included in the compositions of the invention varies
25 depending upon the desired consistency of the final product. Since the compositions of the invention are oil-in-water emulsions, it is possible, by varying the amount of water present, to formulate, for example, a thick-flowing liquid or lotion, a semi-liquid thick cream, a paste and the like.

We prefer to employ deionized water.

Water comprises preferably between about 25 and about 95 weight percent of the composition, more preferably between about 40 and about 70 weight percent of the composition, and most preferably between about 50 and about 65 weight percent of the composition.

5. Humectant System

If desired, a humectant system may additionally be present in the composition of the present invention. The humectant system comprises preferably at least one compound selected from the group consisting of sodium pyrrolidone carboxylate (hereafter "SPC"), beta-glucan, lactic acid, and lactic acid salts. Preferred lactic acid salts include sodium lactate and ammonium lactate. A preferred source of beta-glucan is colloidal oat bran.

The humectant system comprises preferably up to about 8 weight percent of the composition, more preferably between about 1 and about 8 weight percent of the composition, and most preferably between about 1 and about 7 weight percent of the composition.

The humectant system may also be specified in terms of weight ratios of glycerin and humectant system to plant-derived oil. In a preferred embodiment, the humectant system is present in an amount sufficient to maintain a weight ratio of the glycerin and the humectant system to plant-derived oil in the range preferably between about 18:1 and about 59:1, more preferably between about 19:1 and about 38:1, and most preferably between about 20:1 and about 26:1.

Lubricant

In order to improve the lubricity of the composition during application, it is desirable to employ a silicone oil or fluid, such as dimethylpolysiloxane or other conventional polysiloxane, as a lubricant. In general, the viscosity of the silicone oil at a temperature of 25 °C. is from about 5 centistokes to about 12,500 centistokes. Typical polysiloxanes employed in the invention include dimethylpolysiloxane, dimethyl polysiloxane end blocked with trimethyl units (CTFA name dimethicone), diethylpolysiloxane, dimethylpolysiloxane-diphenylpolysiloxane, cyclomethicone, trimethylpolysiloxane, diphenylpolysiloxane, and mixtures thereof.

-13-

A preferred lubricant is dimethicone.

The lubricant comprises preferably up to about 5 weight percent of the composition, more preferably between about 0.1 and about 3 weight percent of the composition, and most preferably between about 1 and about 2 weight percent of the composition.

Optional Components

Other conventional additives typically employed in cosmetic compositions may be utilized as optional components. Fragrance oils, which mask the odor of the base and provide cosmetic appeal, can be employed. Nontoxic and compatible dyes may be utilized to color the composition, as desired. Preservatives, such as methylparaben or other esters of parahydroxy benzoic acid, can be employed. If desired, formaldehyde and like preservatives can also be utilized.

In addition, a sun screen additive, such as octyl dimethyl para-aminobenzoic acid can be employed in the inventive composition in amounts from about 1 to about 8 weight percent of the composition. To provide a skin protectant composition, zinc oxide and like ingredients can be provided in amounts from about 0.5 to about 3 weight percent of the composition. As a medicament, various essential oils, such as menthol and the like, and vitamin oils can be employed in amounts from 0.1 to about 2 weight percent of the composition.

Additionally, minor amounts of other conventional emollients, emulsifiers, thickeners or other cosmetic additives can be employed.

The compositions of our invention are prepared according to methods well-known to those of ordinary skill, and are not limited to any specific manufacturing process. The compositions of the present invention can be prepared, generally, by dispersing the fatty alcohol, vegetable oil, and quaternary ammonium emulsifier into the petrolatum or mineral oil. The resulting dispersion is heated to a temperature of from about 170 F. to about 190 F. under agitation to form a hot oil phase. The water and optional colorants and preservatives are admixed and heated to a temperature of from about 170 F. to about 190 F. under agitation to form a hot

-14-

aqueous phase. Next, the hot oil phase is added to the hot aqueous phase, and the resulting dispersion is agitated until a homogeneous mixture is obtained.

The mixture is then cooled to a temperature of about 90 F. and fragrance is added under agitation until a homogeneous product is obtained. Depending upon the quantity of water employed, a homogeneous lotion, cream, or paste can be produced.

The skin care compositions of the present invention are topically applied in a conventional manner. In general, the compositions may be dispensed from a container and then gently applied to the skin.

EXAMPLES

The following examples set forth below in Tables 1 and 2, namely Examples 1 through 8, illustrate embodiments of the present invention. All amounts are given in weight percent. The present invention is not limited to the examples contained therein. Skin hydration levels, as measured by a Nova DPM dermal phase meter, are provided for each example at 1, 2, 3, 4, 9, and 12 hours after application on human test subjects. AVEENO, a commercial embodiment of the '418 patent, was used as a control. As the results demonstrate, the present invention results in superior and statistically significant increased short-term skin hydration levels.

TABLE I

Component	Control	Example 1	Example 2	Example 3	Example 4	Example 5
Glycerin	12	18	18	18	18	18
Oat Oil		1	1	1		0.5
Borage Oil					0.5	0.5
Petrolatum	4	4	4	4	4	4
DSDMAC	5	5	5	5	5	5
Cetyl Alcohol	2.5	2.5	2.5	2.5	2.5	2.5
Isopropyl Palmitate	3	2	2	2	2	2
Water	70.64	63.84	63.77	58.34	64.54	63.44
Lactic Acid, 88%			0.85			
Ammonium Lactate			0.42	6.7		
SPC		1			1	1
Dimethicone	1.25	1.25	1.25	1.25	1.25	1.25
Colloidal Oats	1	1	1	1	1	1
Benzyl Alcohol	0.6					0.6
NaCl	0.01	0.01	0.01	0.01	0.01	0.01
DL-Panthenol		0.4	0.2	0.2	0.2	0.2
TOTAL	100	100	100	100	100	100
Nova DPM Values (higher value indicates greater skin hydration)						
Hour	Control	Example 1	Example 2	Example 3	Example 4	Example 5
1	262	316	330	388	326	321
2	252	319	331	400	315	327
3	248	324	337	390	323	321
4	249	333	332	390	323	323
9	236	333	336	356	326	324
12	239	318	313	348	320	318

TABLE 2

Component	Control	Example 6	Example 7	Example 8
Glycerin	12	16	16	20
Oat Oil		0.5	0.5	1
Petrolatum	4	4	4	4
DSDMAC	5	5	5	5
Cetyl Alcohol	2.5	2.5	2.5	2.5
Isopropyl Palmitate	3	3	3	3
Water	70.64	59.21	57.21	55.71
Lactic Acid, 88%		2.85	2.85	2.85
Sodium Lactate, 60%		3.08	3.08	3.08
SPC		1		
Colloidal Oat Bran			3	
Dimethicone	1.25	1.25	1.25	1.25
Colloidal Oats	1	1	1	1
Benzyl Alcohol	0.6	0.6	0.6	0.6
NaCl	0.01	0.01	0.01	0.01
TOTAL	100	100	100	100
Nova DPM Values (higher value indicates greater skin hydration)				
Hour	Control	Example 6	Example 7	Example 8
1	266	310	294	317
2	270	311	310	338
3	272	316	306	332
4	264	315	307	334
9	246	299	297	315
12	237	307	288	311

COMPARATIVE TESTING

A preliminary test was conducted to determine the effects of (1) increasing the amount of glycerin (with an addition of a minor amount of oat oil) in the formulation of the '418 patent, and (2) adding oat oil alone to the dry skin formulation of the '418 patent. AVEENO, a commercial embodiment of the '418 patent, was employed as a control. The results are displayed below in Table 3, as Comparative Examples A, B, and C. All component amounts are given in weight percent. As the results suggest, merely increasing the amount of glycerin or adding oat oil does not result in statistically significant differences in skin hydration levels relative to the dry skin formulation of the '418 patent.

TABLE 3

Component	Control	Comparative Example A	Comparative Example B	Comparative Example C
Glycerin	12	20	12	12
Oat Oil		0.5	0.5	1
Petrolatum	4	4	4	4
DSDMAC	5	5	7	5
Cetyl Alcohol	2.5	2.5	3.5	2.5
Isopropyl Palmitate	3	3	3	3
Water	70.64	60.75	59.65	63.71
Lactic Acid, 88%			2	2.85
Sodium Lactate, 60%			4.5	3.08
SPC		1	1	
Dimethicone	1.25	1.25	1.25	1.25
Colloidal Oats	1	1	1	1
Benzyl Alcohol	0.6	0.6	0.6	0.6
NaCl	0.01			0.01
DL-Panthenol		0.4		
TOTAL	100	100	100	100
Nova DPM Values (higher value indicates greater skin hydration)				
Hour	Control	Comparative Example A	Comparative Example B	Comparative Example C
1	266	267	291	291
2	270	267	299	299
3	272	277	300	295
4	264	293	296	301
9	246	262	269	282
12	237	261	272	278

INDUSTRIAL APPLICABILITY

Any composition of the present invention, including at least the above-described embodiments and formulations, may be used, either alone or in combination with other components, as a skin conditioning lotion, cream, or paste. Gel

5 formulations are also envisioned. The lotion, cream, paste, and gel formulations may be packaged in various dispensing containers designed to promote storage stability of the composition. We also envision that this invention be used as a vehicle for sun screen and insect repellent lotions, creams, pastes, and gels.

While the present invention has been described with respect to what is at
10 present considered to be the preferred embodiments, it is to be understood that the invention is not limited to the disclosed embodiments. To the contrary, the invention is intended to cover various modifications and equivalent arrangements included within the spirit and scope of the appended claims. The scope of the following claims is to be accorded the broadest interpretation so as to encompass all such modifications and
15 equivalent formulations and functions.


WHAT I CLAIM:

1. An improved skin care composition having enhanced skin hydration, moisturizing, conditioning, and cosmetically acceptable tactile properties, said composition comprising:

5 a skin hydration system, in an amount between about 16 and about 22 weight percent of the composition, comprising glycerin and plant-derived oil in amounts sufficient to maintain a weight ratio of said glycerin to said plant-derived oil in the range between about 13:1 and about 36:1;

petrolatum or mineral oil, in an amount between about 1 and about 10 weight
10 percent of the composition;

a quaternary ammonium compound, in an amount between about 2 and about 12 weight percent of the composition, said quaternary ammonium compound having the formula



wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from
20 about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion;

a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition;

a fatty ester emollient, in an amount between about 1 and about 8 weight
25 percent of the composition; and

water, in an amount between about 25 and about 95 weight percent of the composition.

-21-

2. An improved skin care composition according to Claim 1, wherein said plant-derived oil comprises at least one compound selected from the group consisting of oat lipid extract and borage oil.
- 5 3. An improved skin care composition according to Claim 1, wherein said glycerin and said plant-derived oil are present in amounts sufficient to maintain a weight ratio of said glycerin to said plant-derived oil in the range between about 18:1 and about 32:1.
- 10 4. An improved skin care composition according to Claim 1, wherein said glycerin and said plant-derived oil are present in amounts sufficient to maintain a weight ratio of said glycerin to said plant-derived oil in the range between about 18:1 and about 20:1.
- 15 5. An improved skin care composition according to Claim 1, further comprising a humectant system, in an amount sufficient to maintain a weight ratio of said glycerin and said humectant system to said plant-derived oil in the range between about 18:1 and about 59:1.
- 20 6. An improved skin care composition according to Claim 5, wherein said humectant system comprises at least one compound selected from the group consisting of sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.
- 25 7. An improved skin care composition according to Claim 5, wherein said humectant system is present in an amount sufficient to maintain a weight ratio of said glycerin and said humectant system to said plant-derived oil in the range between about 19:1 and about 38:1.
8. An improved skin care composition according to Claim 7, wherein said humectant system comprises at least one compound selected from the group consisting of sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

-22-

9. An improved skin care composition according to Claim 5, wherein said humectant system is present in an amount sufficient to maintain a weight ratio of said glycerin and said humectant system to said plant-derived oil in the range between about 20:1 and about 26:1.

5

10. An improved skin care composition according to Claim 9, wherein said humectant system comprises at least one compound selected from the group consisting of sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

10

11. An improved skin care composition having enhanced skin hydration, moisturizing, conditioning, and cosmetically acceptable tactile properties, said composition comprising:


a skin hydration system comprising glycerin, in an amount between about 16 and about 19 weight percent of the composition, and plant-derived oil, in an amount between about 0.5 and about 1.5 weight percent of the composition;

15

petrolatum or mineral oil, in an amount between about 1 and about 10 weight percent of the composition;

a quaternary ammonium compound, in an amount between about 2 and about 12 weight percent of the composition, said quaternary ammonium compound having the formula

20



25

wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion;

a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition;

30

a fatty ester emollient, in an amount between about 1 and about 8 weight percent of the composition; and

water, in an amount between about 25 and about 95 weight percent of the composition.

5

12. An improved skin care composition according to Claim 11, wherein said plant-derived oil comprises at least one compound selected from the group consisting of oat lipid extract and borage oil.

10

13. An improved skin care composition according to Claim 11, wherein said plant-derived oil is present in an amount between about 0.75 and about 1.25 weight percent of the composition.

15

14. An improved skin care composition according to Claim 11, wherein said plant-derived oil is present in an amount of about 1 weight percent of the composition.

15. An improved skin care composition according to Claim 11, further comprising a humectant system, in an amount up to about 8 weight percent of the composition.

20

16. An improved skin care composition according to Claim 15, wherein said humectant system is present in an amount between about 1 and about 8 weight percent of the composition.

25

17. An improved skin care composition according to Claim 15, wherein said humectant system is present in an amount between about 1 and about 7 weight percent of the composition.

30


18. An improved skin care composition according to Claim 15, wherein said humectant system comprises at least one compound selected from the group consisting of sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

19. An improved skin care composition having enhanced skin hydration, moisturizing, conditioning, and cosmetically acceptable tactile properties, said composition comprising:

5 a skin hydration system comprising glycerin, in an amount between about 18 and about 20 weight percent of the composition, and plant-derived oil, in an amount between about 1 and about 1.5 weight percent of the composition;

petrolatum or mineral oil, in an amount between about 1 and about 10 weight percent of the composition;

10 a quaternary ammonium compound, in an amount between about 2 and about 12 weight percent of the composition, said quaternary ammonium compound having the formula



wherein R_1 and R_2 are each long chain, substantially linear alkyl groups having from about 16 to 22 carbon atoms, R_3 and R_4 are each lower alkyl groups having from about 1 to 3 carbon atoms and X is a salt-forming anion;

20

a fatty alcohol, in an amount between about 1.5 and about 5 weight percent of the composition;

a fatty ester emollient, in an amount between about 1 and about 8 weight percent of the composition; and

25 water, in an amount between about 25 and about 95 weight percent of the composition.

20. An improved skin care composition according to Claim 19, wherein said plant-derived oil comprises at least one compound selected from the group consisting of oat lipid extract and borage oil.

30

21. An improved skin care composition according to Claim 19, wherein said plant-derived oil is present in an amount between about 1 and about 1.25 weight percent of the composition.

5

22. An improved skin care composition according to Claim 19, wherein said plant-derived oil is present in an amount of about 1 weight percent of the composition.

23. An improved skin care composition according to Claim 19, further comprising
10 a humectant system, in an amount up to about 8 weight percent of the composition.

24. An improved skin care composition according to Claim 23, wherein said humectant system is present in an amount between about 1 and about 8 weight percent of the composition.

15

25. An improved skin care composition according to Claim 23, wherein said humectant system is present in an amount between about 1 and about 7 weight percent of the composition.

20 26. An improved skin care composition according to Claim 23, wherein said humectant system comprises at least one compound selected from the group consisting of sodium pyrrolidone carboxylate, beta-glucan, lactic acid, and lactic acid salts.

25

INTERNATIONAL SEARCH REPORT

In ☐ national Application No
PCT/US 98/25334

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61K7/50 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 30679 A (BAUSCH & LOMB) 28 August 1997 see the whole document ---	1-26
A	WO 96 32089 A (THE ANDREW JERGENS COMPANY) 17 October 1996 see the whole document ---	1-26
A	WO 92 09264 A (RICHARDSON-VICKS) 11 June 1992 see the whole document ---	1-26
A	US 4 389 418 A (BURTON) 21 June 1983 cited in the application see the whole document ---	1-26
-/--		

☒ Further documents are listed in the continuation of box C

☒ Patent family members are listed in annex.

* Special categories of cited documents

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

Date of the actual completion of the international search

8 April 1999

Date of mailing of the international search report

14/04/1999

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo rd,
Fax: (+31-70) 340-3018

Authorized officer

Fischer, J.P.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/25334

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 607 980 A (MCATEE ET AL.) 4 March 1997 see the whole document -----	1-26

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/25334

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9730679	A	28-08-1997	AU 7462396 A	10-09-1997
WO 9632089	A	17-10-1996	US 5654341 A	05-08-1997
			AU 5536296 A	30-10-1996
			CA 2217767 A	17-10-1996
			JP 8283145 A	29-10-1996
WO 9209264	A	11-06-1992	US 5073371 A	17-12-1991
			US 5073372 A	17-12-1991
			AU 666470 B	15-02-1996
			AU 9101091 A	25-06-1992
			CA 2095607 A,C	31-05-1992
			CN 1063038 A	29-07-1992
			DE 69111466 D	24-08-1995
			DE 69111466 T	04-04-1996
			EP 0559786 A	15-09-1993
			ES 2074868 T	16-09-1995
			FI 932454 A	28-05-1993
			IE 66747 B	07-02-1996
			JP 6503086 T	07-04-1994
			MX 9102332 A	01-06-1992
			PT 99617 A	30-10-1992
			NZ 240795 A	27-06-1994
US 4389418	A	21-06-1983	AR 231800 A	29-03-1985
			AT 13631 T	15-06-1985
			AU 549855 B	20-02-1986
			AU 8019282 A	02-09-1982
			BR 8200894 A	28-12-1982
			CA 1170573 A	10-07-1984
			EP 0058853 A	01-09-1982
			GB 2093346 A,B	02-09-1982
			JP 1583264 C	22-10-1990
			JP 2006321 B	08-02-1990
			JP 57158715 A	30-09-1982
			PH 19041 A	06-12-1985
			ZA 8200760 A	26-01-1983
US 5607980	A	04-03-1997	AU 6676996 A	18-02-1997
			CA 2227967 A	06-02-1997
			CN 1200030 A	25-11-1998
			CZ 9800170 A	17-06-1998
			EP 0841898 A	20-05-1998
			WO 9703647 A	06-02-1997